MATERIAL SAFETY DATA SHEET

Product: Heat-Away 639
Revision Date: 1/03/2012

1. MATERIAL IDENTIFICATION

Product Name: Heat-Away 639

Product Description: Paste, Silver, Odorless

Product Use: High Temperature Thermally Conductive Grease

Manufacturer: Aremco Products, Inc.

707-B Executive Blvd. Valley Cottage, NY 10989

Telephone: 845-268-0039

Emergency Phone: 845-268-0039 or Infotrac (24/7) 800-535-5053

2. COMPOSITION

Ingredient	CAS#	ACGIH TLV (mg/m ³)	OSHA PEL (mg/m ³)
Dimethylpolysiloxane	63148-62-9	N/E	N/E
Aluminum	7429-90-5	5	5

Notes

1) This product is a liquid mixture and all powders are encapsulated.

2) Exposure values shown for guidance only. Please follow applicable regulations.

3. HAZARDS IDENTIFICATION

Emergency Overview: Silver, odorless. May cause eye irritation.

Eye Contact: May cause eye irritation.

Skin Contact:None known.Inhalation Acute:None known.Ingestion Acute:None known.

Chronic Hazards: No known chronic hazards. Not listed on NTP, IARC or OSHA as carcinogen.

Physical Hazards: Spilled material is slippery.

HMIS: Health: 1

Flammability: 0
Reactivity: 0
Protection: C

4. FIRST AID MEASURES

Eye Exposure:

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist. If a physician is not immediately available, eye irrigation should be continued for an additional 15 minutes.

Skin Exposure:

Immediately wipe excess material off skin with a dry cloth then wash with plenty of soap and water for at least 5 minutes. See medical attention if irritation develops or persists. Remove contaminated clothing and shoes and clean thoroughly before re-use.

Inhalation:

Remove from immediate source of exposure, assure that victim is breathing, and supply fresh air. If not breathing, administer cardio-pulmonary resuscitation (CPR). If breathing is difficult, administer oxygen if available. Seek medical treatment.

Ingestion:

Do not induce vomiting. If person is conscious, give 1-3 glasses of water to drink. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Do not leave victim unattended. Seek medical treatment.

Medical Conditions Possibly Aggravated by Exposure:

Inhalation of product may aggravate existing chromic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

Flash Point: 301.6 °C (575 °F).

Extinguishing Media: Foam, carbon dioxide, dry powder, water spray.

Unsuitable Extinguishing Agents: None.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved positive pressure breathing apparatus with full face-

piece and full chemical resistant protective clothing. Dike area to prevent runoff and contamination of

water sources. Dispose of fire control water later.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection: Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber

boots. Use NIOSH approved respirator where mist occurs.

Spill Cleanup: Absorb with liquid-binding material (sand, diatomite, universal binders, and sawdust). Dispose of

contaminated material according to local, state and federal regulations. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents.

Environmental Protection: Inform respective authorities in case product reaches water or sewage system. Do no allow to enter

drainage system, surface or ground water.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Keep container closed.

Promptly clean residue from closures with dry media. Promptly clean up spills.

Storage: Store in an area that is cool, dry, well ventilated, away from combustible material, and away from

ignition sources. Keep containers closed and well sealed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use with adequate ventilation. Keep containers closed. Safety shower and eyewash fountain should

be within direct access.

Respiratory Protection: If exposure limits are exceeded and local ventilation is unavailable, a supplied-air respirator or a self-

contained NIOSH-approved dust and mist respirator is required.

Skin Protection: Wear body-covering protective clothing and gloves.

Eye Protection: Wear chemical goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical here represent typical properties of this product. Contact Technical Sales for exact specifications.

Form: Paste Color: Silver Odor: None Specific Gravity, g/cc: 1.4 Water Solubility: Insoluble Solubility in Organic Solvent: Soluble, Toluene Melting Point: Not Applicable **Boiling Point:** > 204 °C (> 400 °C)

Evaporation Rate (Butyl Acetate = 1): < 1

Self-Inflammability: Product is not self-igniting

Vapor Pressure: Not Determined

10. STABILITY AND REACTIVITY

Chemical Stability:This material is stable if handled and stored according to specifications. **Conditions to Avoid:**No decomposition if handled and stored according to specifications.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, formaldehyde.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: Not available.
Chronic Toxicity: Not available.

12. ECOLOGICAL INFORMATION

Ecotoxity: Not available.

13. DISPOSAL CONSIDERATIONS

Disposal Method: Dispose in accordance with federal, state and local regulations and permits.

14. TRANSPORTATION INFORMATION

DOT UN Status: The material is not a regulated hazardous material for transportation.

15. REGULATORY INFORMATION

U.S. Federal Regulations

CERCLA: No CERCLA reportable quantity has been established for this material.

TSCA: All ingredients of this material are listed on the TSCA inventory.

SARA Title III

Sections 302, 304, 313: This product does not contain any substances reportable under these sections.

Sections 311, 312:

Hazard Classes	Yes/No
Fire Hazard	No
Reactivity Hazard	No
Pressure Hazard	No
Immediate Hazard	No
Delayed Hazard	No

International Inventory	Status
Canada (DSL)	Yes
Europe (EINECS/ELINCS)	Yes
Australia (AICS)	Yes
Japan (MITI)	Yes
South Korea (KECL)	Yes

16. OTHER INFORMATION

NFPA: Health: 1

Flammability: 0 Reactivity: 0

Key Legend Information

ACGIH American Conference of Governmental Industrial Hygienists

ARD International Agency for Research on Cancer

CAS Chemical Abstract Service

CERCLA Comprehensive Environmental Response, Compensation & Liability Act

DSL Domestic Substance List

HMIS Hazardous Materials Identification System

ND Not Determined NE Not Established

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety & Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RTECS Registry of Toxic Effects of Chemical Substances
SARA Superfund Amendments & Reauthorization Act
SARA Title III Emergency Planning & Community Right to Know Act

SARA Section 302 Extremely Hazardous Substances

SARA Section 304 Emergency Release

SARA Section 311 MSDS/List of Chemicals & Hazardous Inventory

SARA Section 312 Emergency & Hazardous Inventory
SARA Section 313 Toxic Chemicals & Release Reporting

STEL Short Term Exposure Limit
TLV Threshold Limit Value
TWA Time Weighted Average

Disclaimer: The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. Aremoo Products, Inc. makes no warranty, expressed or implied, as to the accuracy of this MSDS and assumes no liability arising from its use by others. Compliance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.