

# MATERIAL SAFETY DATA SHEET

**Product:** 571-L Liquid  
**Revision Date:** 1/03/2012

## 1. MATERIAL IDENTIFICATION

**Product Name:** 571-L Liquid

**Product Description:** Slightly Cloudy, Odorless Liquid  
**Product Use:** High Temperature Adhesive/Coating Binder

**Manufacturer:** Aremco Products, Inc.  
707-B Executive Blvd.  
Valley Cottage, NY 10989

**Telephone:** 845-268-0039  
**Emergency Phone:** 845-268-0039 or Infotrac (24/7) 800-535-5053

## 2. COMPOSITION

Ingredient	CAS #	ACGIH TLV (mg/m <sup>3</sup> )	OSHA PEL (mg/m <sup>3</sup> )
Silicate Solution	1344-09-8	N/E	N/E
Water	7732-18-5	N/A	N/A

Notes:

- 1) This product is a liquid mixture and all powders are encapsulated.
- 2) Exposure values shown for guidance only. Please follow applicable regulations.

## 3. HAZARDS IDENTIFICATION

**Emergency Overview:** Slightly cloudy, odorless liquid. May cause moderate irritation to eyes, skin, and digestive tract.

**Eye Contact:** May cause moderate irritation to the eyes.

**Skin Contact:** May cause moderate irritation to the skin.

**Inhalation Acute:** Mists may cause irritation to upper respiratory track.

**Ingestion Acute:** May cause irritation to mouth, esophagus, and stomach.

**Chronic Hazards:** No known chronic hazards. Not listed on NTP, IARC or OSHA as carcinogen.

**Physical Hazards:** Spilled material is slippery. Dries to form a glassy film that can cut skin.

**HMIS:**

Health: 1  
Flammability: 0  
Reactivity: 0  
Personal Protection: C

## 4. FIRST AID MEASURES

**Eye Exposure:**

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist. If a physician is not immediately available, eye irrigation should be continued for an additional 15 minutes.

**Skin Exposure:**

Immediately wipe excess material off skin with a dry cloth then wash with plenty of soap and water for at least 5 minutes. See medical attention if irritation develops or persists. Remove contaminated clothing and shoes and clean thoroughly before re-use.

**Inhalation:**

Remove from immediate source of exposure and assure that victim is breathing. If not breathing, administer cardio-pulmonary resuscitation (CPR). If breathing is difficult, administer oxygen if available. Seek medical attention.

**Ingestion:**

If swallowed, do not induce vomiting. If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention immediately. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

**Medical Conditions Possibly Aggravated by Exposure:**

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

**5. FIRE FIGHTING MEASURES**

**Flash Point:** Not applicable  
**Flammable Limits:** This material is non-combustible.  
**Extinguishing Media:** This material is compatible with all extinguishing media.  
**Special Fire Fighting Procedures:** Firefighters should wear NIOSH/MSHA approved positive pressure breathing apparatus with full face-piece and full chemical resistant protective clothing. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.  
**Unusual Fire and Explosion Hazards:** This material is non-combustible.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Protection:** Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber boots. Use NIOSH approved respirator where mist occurs.  
**Spill Cleanup:** Mop up and neutralize liquid, then discharge to sewer in accordance with federal, state and local regulations or permits. Flush area with water to complete cleanup. Exercise caution during neutralization as heat may be generated.

**7. HANDLING AND STORAGE**

**Handling:** Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Keep container closed. Promptly clean residue from closures with cloth dampened with water. Promptly clean up spills.  
**Storage:** Store in an area that is cool, dry, well ventilated, away from combustible material, and away from ignition sources. Keep containers closed. Store in clean plastic or stainless steel containers.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls:** Use with adequate ventilation. Keep containers closed. Safety shower and eyewash fountain should be within direct access.  
**Respiratory Protection:** This product is not considered respirable in either the liquid or cured forms. However, if the cured product is polished, ground or chipped during processing, handling or use, powders may be released as airborne respirable particles. In these instances, appropriate personal protection equipment and local ventilation controls must be employed. If exposure limits are exceeded and local ventilation is unavailable, a supplied-air respirator or a self-contained NIOSH-approved dust and mist respirator is required.  
**Skin Protection:** Wear body-covering protective clothing and gloves.  
**Eye Protection:** Wear chemical goggles.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical and chemical here represent typical properties of this product. Contact Technical Sales for exact specifications.

**Appearance:** Liquid  
**Color:** Slightly Cloudy  
**Odor:** Odorless  
**pH:** > 11.0  
**Specific Gravity, g/cc** 1.41  
**Water Solubility:** Soluble  
**Melting Point Range:** Not available  
**Boiling Point Range:** Not available  
**Vapor Pressure:** Not available  
**Vapor Density (air=1):** Not available  
**VOC Content, g/l:** 0.00

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** This material is stable under all conditions of use and storage.  
**Conditions to Avoid:** Flammable hydrogen gas may be produced on contact with aluminum, tin, lead, and zinc.  
**Materials to Avoid:** Gels and generates heat when mixed with acid. May react with ammonium salts resulting in evolution of ammonia gas.  
**Hazardous Decomposition Products:** None.  
**Hazardous Polymerization:** Will not occur.

## 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity Data:** Not available  
**Chronic Toxicity Data:** Not available

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** Not tested  
**Environmental Fate:** Not tested  
**Physical/Chemical:** Sinks and mixes with water. Only water will evaporate from this material.

## 13. DISPOSAL CONSIDERATIONS

**Disposal Method:** Dispose in accordance with federal, state and local regulations and permits.

## 14. TRANSPORTATION INFORMATION

**DOT UN Status:** The material is not a regulated hazardous material for transportation.

## 15. REGULATORY INFORMATION

### U.S. Federal Regulations

**CERCLA:** No CERCLA reportable quantity has been established for this material.

**TSCA:** All ingredients of this material are listed on the TSCA inventory.

### **SARA Title III**

**Sections 302, 304, 313:** This product does not contain any substances reportable under these sections.

### **Sections 311, 312:**

<u>Hazard Classes</u>	<u>Yes/No</u>
Fire Hazard	No
Reactivity Hazard	No
Pressure Hazard	No
Immediate Hazard	Yes
Delayed Hazard	No

  

<u>International Inventory</u>	<u>Status</u>
Canada (DSL)	Yes
Europe (EINECS/ELINCS)	Yes
Australia (AICS)	Yes
Japan (MITI)	Yes
South Korea (KECL)	Yes

## 16. OTHER INFORMATION

<b>NFPA:</b>	Health:	1
	Flammability:	0
	Reactivity:	0
<b>Risk Phrases:</b>	R22	Harmful if Swallowed
	R36	Irritating to Eyes
	R38	Irritating to Skin

### Key Legend Information

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ARD</b>	International Agency for Research on Cancer
<b>CAS</b>	Chemical Abstract Service
<b>CERCLA</b>	Comprehensive Environmental Response, Compensation & Liability Act
<b>DSL</b>	Domestic Substance List
<b>HMIS</b>	Hazardous Materials Identification System
<b>ND</b>	Not Determined
<b>NE</b>	Not Established
<b>NFPA</b>	National Fire Protection Association
<b>NIOSH</b>	National Institute for Occupational Safety & Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RTECS</b>	Registry of Toxic Effects of Chemical Substances
<b>SARA</b>	Superfund Amendments & Reauthorization Act
<b>SARA Title III</b>	Emergency Planning & Community Right to Know Act
<b>SARA Section 302</b>	Extremely Hazardous Substances
<b>SARA Section 304</b>	Emergency Release
<b>SARA Section 311</b>	MSDS/List of Chemicals & Hazardous Inventory
<b>SARA Section 312</b>	Emergency & Hazardous Inventory
<b>SARA Section 313</b>	Toxic Chemicals & Release Reporting
<b>STEL</b>	Short Term Exposure Limit
<b>TLV</b>	Threshold Limit Value
<b>TWA</b>	Time Weighted Average

**Disclaimer:** The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. Arengo Products, Inc. makes no warranty, expressed or implied, as to the accuracy of this MSDS and assumes no liability arising from its use by others. Compliance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.

# MATERIAL SAFETY DATA SHEET

**Product:** 571-P Powder  
**Revision Date:** 1/03/2012

## 1. MATERIAL IDENTIFICATION

**Product Name:** 571-P Powder

**Product Description:** Off-White, Odorless Powder  
**Product Use:** High Temperature Adhesive/Coating System

**Manufacturer:** Aremco Products, Inc.  
707-B Executive Blvd.  
Valley Cottage, NY 10989

**Telephone:** 845-268-0039  
**Emergency Phone:** 845-268-0039 or Infotrac (24/7) 800-535-5053

## 2. COMPOSITION

Ingredient	CAS #	ACGIH TLV (mg/m <sup>3</sup> )	OSHA PEL (mg/m <sup>3</sup> )
Aluminum Oxide	1344-28-1	15	N/E
Magnesium Oxide	1309-48-4	400	N/A

Notes:

1) Exposure values shown for guidance only. Please follow applicable regulations.

## 3. HAZARDS IDENTIFICATION

**Emergency Overview:** Off-white, odorless powder. May cause moderate irritation to eyes, skin, and digestive tract.

**Eye Contact:** May cause moderate irritation to the eyes.

**Skin Contact:** May cause moderate irritation to the skin.

**Inhalation Acute:** Mists may cause irritation to upper respiratory track.

**Ingestion Acute:** May cause irritation to mouth, esophagus, and stomach.

**Chronic Hazards:** No known chronic hazards. Not listed on NTP, IARC or OSHA as carcinogen.

**HMIS:** Health: 1  
Flammability: 0  
Reactivity: 0  
Personal Protection: F

## 4. FIRST AID MEASURES

### Eye Exposure:

Do not rub eyes. Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist. If a physician is not immediately available, eye irrigation should be continued for an additional 15 minutes.

### Skin Exposure:

Immediately wipe excess material off skin with a dry cloth then wash with plenty of soap and water for at least 5 minutes. See medical attention if irritation develops or persists. Remove contaminated clothing and shoes and clean thoroughly before re-use.

### Inhalation:

Remove from immediate source of exposure and assure that victim is breathing. If not breathing, administer cardio-pulmonary resuscitation (CPR). If breathing is difficult, administer oxygen if available. Seek medical attention.

**Ingestion:**

If swallowed, do not induce vomiting. If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention immediately. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously. Give water if vomiting occurs and the victim is conscious.

**Medical Conditions Possibly Aggravated by Exposure:**

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

**5. FIRE FIGHTING MEASURES**

**Flash Point:** Not applicable.  
**Flammable Limits:** Not applicable. This material is non-combustible.  
**Extinguishing Media:** Use extinguishing media applicable to surrounding fire.  
**Special Fire Fighting Procedures:** Firefighters should wear NIOSH/MSHA approved positive pressure breathing apparatus with full face-piece and full chemical resistant protective clothing. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.  
**Unusual Fire and Explosion Hazards:** Not applicable. This material is non-combustible.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Protection:** Wear goggles, gloves, boots, and body-covering protective clothing. Ventilate enclosed spaces and use NIOSH approved respirator for airborne dust.  
**Spill Cleanup:** Cleanup using dry procedures (sweep or vacuum) to avoid generation of dust. Dispose in accordance with federal, state and local regulations or permits.

**7. HANDLING AND STORAGE**

**Handling:** Avoid contact with eyes, skin and clothing. Avoid breathing dust and use in a well-ventilated area. Keep container closed. Promptly clean spills and residue from closures with cloth dampened with water.  
**Storage:** Store in closed container and keep material dry.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls:** Use with adequate ventilation and dust collection equipment. Keep containers closed. Safety shower and eyewash fountain should be within direct access.  
**Respiratory Protection:** If exposure limits are exceeded and local ventilation is unavailable, a supplied-air respirator or a self-contained NIOSH-approved dust and mist respirator is required.  
**Skin Protection:** Wear body-covering protective clothing and gloves.  
**Eye Protection:** Wear goggles or safety glasses.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical and chemical here represent typical properties of this product. Contact Technical Sales for exact specifications.

**Appearance:** Powder  
**Color:** Off-White  
**Odor:** Odorless  
**pH:** > 9.0 @ 33% Solids in Deionized Water  
**Specific Gravity, g/cc** > 3.5  
**Water Solubility:** Slightly Soluble  
**Melting Point Range:** Not applicable  
**Boiling Point Range:** Not applicable  
**Vapor Pressure:** Not applicable  
**Vapor Density (air=1):** Not applicable  
**VOC Content, g/l:** Not applicable

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** This material is stable under all conditions of use and storage.  
**Conditions to Avoid:** None.  
**Materials to Avoid:** Strong Acids – causes vigorous reaction and heat generation.  
Chlorine Trifluoride – reacts violently, producing flame.  
Phosphorous Pentachloride – incandesces brilliantly.  
**Hazardous Decomposition Products:** Fumes may be generated if magnesium oxide is heated to the point of volatilization (> 1700 C),  
**Hazardous Polymerization:** Will not occur.

## 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity Data:** Not available  
**Chronic Toxicity Data:** Not available

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** Not tested  
**Environmental Fate:** Not tested  
**Physical/Chemical:** Not tested

## 13. DISPOSAL CONSIDERATIONS

**Disposal Method:** Dispose in accordance with federal, state and local regulations and permits.

## 14. TRANSPORTATION INFORMATION

**DOT UN Status:** The material is not a regulated hazardous material for transportation.

## 15. REGULATORY INFORMATION

### U.S. Federal Regulations

**CERCLA:** No CERCLA reportable quantity has been established for this material.

**TSCA:** All ingredients of this material are listed on the TSCA inventory.

### **SARA Title III**

**Sections 302, 304, 313:** This product does not contain any substances reportable under these sections.

### **Sections 311, 312:**

<u>Hazard Classes</u>	<u>Yes/No</u>
Fire Hazard	No
Reactivity Hazard	No
Pressure Hazard	No
Immediate Hazard	Yes
Delayed Hazard	No

<u>International Inventory</u>	<u>Status</u>
Canada (DSL)	Yes
Europe (EINECS/ELINCS)	Yes
Australia (AICS)	Yes
Japan (MITI)	Yes
South Korea (KECL)	Yes

## 16. OTHER INFORMATION

**NFPA:** Health: 1  
Flammability: 0  
Reactivity: 0

**Risk Phrases:** R37 Irritating to Respiratory System  
R38 Irritating to Skin

### Key Legend Information

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ARD</b>	International Agency for Research on Cancer
<b>CAS</b>	Chemical Abstract Service
<b>CERCLA</b>	Comprehensive Environmental Response, Compensation & Liability Act
<b>DSL</b>	Domestic Substance List
<b>HMIS</b>	Hazardous Materials Identification System
<b>ND</b>	Not Determined
<b>NE</b>	Not Established
<b>NFPA</b>	National Fire Protection Association
<b>NIOSH</b>	National Institute for Occupational Safety & Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>SARA</b>	Superfund Amendments & Reauthorization Act
<b>SARA Title III</b>	Emergency Planning & Community Right to Know Act
<b>SARA Section 302</b>	Extremely Hazardous Substances
<b>SARA Section 304</b>	Emergency Release
<b>SARA Section 311</b>	MSDS/List of Chemicals & Hazardous Inventory
<b>SARA Section 312</b>	Emergency & Hazardous Inventory
<b>SARA Section 313</b>	Toxic Chemicals & Release Reporting
<b>STEL</b>	Short Term Exposure Limit
<b>TLV</b>	Threshold Limit Value
<b>TWA</b>	Time Weighted Average

**Disclaimer:** The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. Arengo Products, Inc. makes no warranty, expressed or implied, as to the accuracy of this MSDS and assumes no liability arising from its use by others. Compliance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.